



PCT/IB 04 / 01000  
(30.03.04)



INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ


MAILED 07 APR 2004  
WIPO PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated 2 February 2004

**PRIORITY  
DOCUMENT**  
SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

BEST AVAILABLE COPY

- 8 APR 2003

□□□□

09APR03 E798541-1 00300  
P01/7700 0.00-0308054.6

1/77

**Request for grant of a patent**  
*See notes on the back of this form. You can  
also get an explanatory leaflet from the Patent  
Office to help you fill in this form)*

**The Patent Office**  
Cardiff Road  
Newport  
Gwent NP10 8QQ

Your reference

PHGB030039GBP

Patent application number  
(The Patent Office will fill in this part)

0308054.6

0 8 APR 2003

Full name, address and postcode of the or of  
each applicant (*underline all surnames*)

KONINKLIJKE PHILIPS ELECTRONICS N.V.  
GROENEWOUDSEWEG 1  
5621 BA EINDHOVEN  
THE NETHERLANDS

Patents ADP Number (*if you know it*)

07419294001

If the applicant is a corporate body, give the  
country/state of its incorporation

THE NETHERLANDS

Title of the invention

A METHOD OF POSITION STAMPING A PHOTO  
OR VIDEO CLIP TAKEN WITH A DIGITAL CAMERA

Name of your agent (*if you have one*)  
"Address for service" in the United Kingdom  
to which all correspondence should be sent  
(*including the postcode*)

Philips Intellectual Property and Standards  
Cross Oak Lane  
Redhill  
Surrey RH1 5HA  
08359655001

Patents ADP number (*if you know it*)

If you are declaring priority from one or more  
earlier patent applications, give the country  
and the date of filing of the or of each of these  
earlier applications and (*if you know it*) the or  
each application number

Country

Priority Application number  
(*if you know it*)

Date of filing  
(*day/month/year*)

If this application is divided or otherwise  
derived from an earlier UK application, give  
the number and the filing date of the earlier  
application

Number of earlier application

Date of filing  
(*day/month/year*)

Is a statement of inventorship and of right to  
grant of a patent required in support of this  
request? (*Answer "Yes" if:*

YES

- a) any applicant named in part 3 is not an inventor, or
  - b) there is an inventor who is not named as an  
applicant, or
  - c) any named applicant is a corporate body.
- See note (d))

- Enter the number of sheets for any of the following items you are filing with this form.  
Do not count copies of the same document.

Continuation sheets of this form

Description	4
Claims(s)	3
Abstract	1
Drawings	1

only 8

1. If you are also filing any of the following, state how many against each item:

Priority Documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents  
(Please specify)

I/We request the grant of a patent on the basis of this application.

Signature S. Townsend

Date 04/04/2003

- Name and daytime telephone number of person to contact in the United Kingdom

01293 815339

(S. Townsend)

Warning

When an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.

Write your answers in capital letters using black ink or you may type them.

If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.

If you have answered "Yes" Patents Form 7/77 will need to be filed.

Once you have filled in the form you must remember to sign and date it.

For details of the fee and ways to pay please contact the Patent Office.

## DESCRIPTION

**A METHOD OF POSITION STAMPING A PHOTO OR  
VIDEO CLIP TAKEN WITH A DIGITAL CAMERA**

5

This invention relates to a method of appending a position stamp to an image file of a photo or video clip taken with a digital camera having a GPS antenna and a GPS RF front-end including an analogue to digital converter for receiving GPS signals and outputting GPS signal samples; and to a digital camera and computer for the same.

It is known to provide a digital camera having a GPS receiver wherein image files generated by the digital camera are annotated or labelled with data identifying the position of the camera at the time of capture as determined by the GPS receiver. For example, see US patent 6269446 or European patent application EP1189021A1.

In accordance with the present invention, there is provided a method of the aforementioned type comprising the steps of (i) upon a user taking a photo or video clip: (a) creating an image file containing that photo or video clip, and (b) sampling received GPS signals and storing those GPS signal samples, e.g. in a file format, with an indication of the image file of the photo or video clip to which those GPS signal samples pertain; and (ii) subsequently processing the GPS signal samples to obtain a position fix and appending the position fix to the image file.

The inventors have realised that storing GPS signal samples with an indication of the image file of the photo or video clip to which those GPS signal samples pertain enables those GPS signal samples to be processed at leisure to determine a position fix and, thereafter, append a position stamp to the image file. For example, they may be processed after an intentional delay has elapsed; after the image file and GPS signal samples have been uploaded to an external computer; or upon detecting the connection to the camera of an

external power source (either automatically or after user confirmation of an automatic prompt for the same).

In particular, step (i) may be performed twice upon a user taking respective first and second photo or video clips, prior to step (ii) being done for the first photo or video clip.

Also provided in accordance with the present invention is a corresponding digital camera and computer as claimed in claims 7 to 15.

The present invention will now be described, by way of example only, with reference to the accompanying figure which shows, schematically, a PC connected to a digital camera including GPS receiver device, both operating in accordance with the present invention.

Referring to the accompanying figure, the PC is connected via a USB PC port and corresponding cable to a digital camera 10 which comprises a GPS front-end receiver (Rx) connected to a GPS antenna, an image sensor (IS) and memory (Mem), all under the control of a micro-controller  $\mu$ C.

When operative, the GPS receiver receives NAVSTAR SPS GPS signals through its antenna and pre-process them, typically by passive bandpass filtering in order to minimise out-of-band RF interference, preamplification, down conversion to an intermediate frequency (IF) and analogue to digital conversion. The IF signal remains modulated, still containing all the information from the available satellites. The resultant GPS signal samples are then stored in the memory (Mem).

In accordance with the present invention, the digital camera and PC may generate a position stamped image file as illustrated in any of the following example scenarios:

#### Example 1

Upon a user in possession of the camera taking a photo, an image file containing that photo is created and stored in the memory. At the same time, the GPS receiver receives and samples GPS signals and stores the resultant

GPS signal samples in a data file format in the memory together with an indication of the image file to which the GPS signal samples pertain.

Once the user returns home and connects the digital camera to the user's home PC, the image file and corresponding GPS signal samples are  
5 uploaded to the PC. The GPS signal samples are then processed using appropriate PC based GPS signal processing software and the PC's more powerful processor to recover pseudorange information from which the position of the digital camera when the corresponding photo was taken can be determined using conventional navigation algorithms. Such GPS signal  
10 acquisition and pseudorange processing is well known, for example, see GPS Principles and Applications (Editor, Kaplan) ISBN 0-89006-793-7 Artech House. The position fix is then appended to the image file.

#### Example 2

As example 1 except that two or more photos are taken with  
15 corresponding image files and GPS signal samples recorded prior to connection with the PC. Upon connection, both sets of GPS signal samples are processed and the position fixes obtained appended to respective image files.

#### Example 3

20 Instead of the GPS signal processing software being PC based, it may be camera based whereby GPS signal samples are processed only after an intentional delay has elapsed after the image file has been created and the GPS signal samples stored. For example, one might post process the GPS signal samples in slow time, thereby minimising processor power consumption.  
25 Similarly, the GPS signal samples might be processed only after detecting the connection of the camera to an external power source.

Whilst the invention has been described in the context of NAVSTAR GPS, the all weather, spaced based navigation system developed and currently operated by the US Department of Defense, it will be appreciated that  
30 the invention is equally applicable to other global positioning systems including GLONASS and Galileo and hybrids thereof.

Finally, from a reading of the present disclosure, other modifications will be apparent to persons skilled in the arts of GPS and digital cameras which may involve features which are already known in the design, manufacture and use of GPS receivers, digital cameras and component parts thereof and which

---

5 may be used instead of or in addition to features already described herein.

## CLAIMS

1. A method of appending a position stamp to an image file of a photo or video clip taken with a digital camera having a GPS antenna and a GPS RF front-end including an analogue to digital converter for receiving GPS signals and outputting GPS signal samples, the method comprising the steps of:

(i) upon a user taking a photo or video clip: (a) creating an image file containing that photo or video clip, and (b) sampling received GPS signals and storing those GPS signal samples with an indication of the image file of the photo or video clip to which those GPS signal samples pertain; and

(ii) subsequently processing the GPS signal samples to obtain a position fix and appending the position fix to the image file.

2. A method according to claim 1 wherein step (ii) is done after an intentional delay has elapsed after step (i).

3. A method according to claim 1 further comprising the step of, after step (i) but before step (ii), uploading the image file and GPS signal samples to an external computer.

4. A method according to claim 1 further comprising the step of, after step (i), detecting the connection to the camera of an external power source whereupon step (ii) is done either automatically or after user confirmation of an automatic prompt for the same.

5. A method according to claim 1 wherein step (i) is performed twice upon a user taking respective first and second photo or video clips, prior to step (ii) being done for the first photo or video clip.

6. A method according to claim 1 wherein the GPS signal samples are stored in a file format.



7. A digital camera comprising a GPS antenna and a GPS RF front-end including an analogue to digital converter for receiving GPS signals and outputting GPS signal samples; wherein, upon a user taking a photo or video clip: (a) an image file is created containing that photo or video clip and (b) received GPS signals are sampled and the GPS signal samples stored with an indication of the image file created in step (a) to which those GPS signal samples pertain.

8. A digital camera according to claim 7 further comprising a GPS signal processor for processing the GPS signal samples to obtain a position fix and appending the position fix to the image file.

9. A digital camera according to claim 8 configured to process the GPS signal samples to obtain a position fix after an intentional delay has elapsed after step (b).

10. A digital camera according to claim 8 configured to process the GPS signal samples to obtain a position fix after detecting the connection to the camera of an external power source and either automatically or after user confirmation of an automatic prompt for the same.

11. A digital camera according to claim 8 configured to allow steps (a) and (b) to be performed twice upon a user taking respective first and second photo or video clips prior to processing the GPS signal samples to obtain a position fix and appending the position fix to the image file of the first photo or video clip.

12. A digital camera according to claim 7 configured to upload the image file and GPS signal samples to an external computer.

13. A digital camera according to claim 12 configured to allow steps (a) and (b) to be performed twice upon a user taking respective first and second photo or video clips prior to uploading the image files and GPS signal samples to an external computer.

5

14. A digital camera according to claim 7 wherein the GPS signal samples are stored in a file format.

15. A computer comprising a processor and receiver, and configured to (a) receive through the receiver an image file containing a photo or video clip, GPS signal samples and an indication of the corresponding image file to which the GPS signal samples pertain by virtue of having been sampled when the corresponding photo or video clip was taken; (b) process the GPS signal samples to obtain a position fix; and (c) append the position fix to the corresponding image file.

10

15

## ABSTRACT


**A METHOD OF POSITION STAMPING A PHOTO OR  
VIDEO CLIP TAKEN WITH A DIGITAL CAMERA**

---

5

A method of appending a position stamp to an image file of a photo or video clip taken with a digital camera having a GPS antenna and a GPS RF front-end including an analogue to digital converter for receiving GPS signals and outputting GPS signal samples together with a digital camera and  
10 computer for the same. The method comprising the steps of: (i) upon a user taking a photo or video clip: (a) creating an image file containing that photo or video clip, and (b) sampling received GPS signals and storing those GPS signal samples with an indication of the image file of the photo or video clip to which those GPS signal samples pertain; and (ii) subsequently processing the  
15 GPS signal samples to obtain a position fix and appending the position fix to the image file.

1/1





**PCT/IB2004/001000**



This Page is inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ BLACK BORDERS
- ☒ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLORED OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REPERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images  
problems checked, please do not report the  
problems to the IFW Image Problem Mailbox**